


RHINO
POOLS



RHINO
POOLS



**POOLS MADE
TO LAST**



An aerial photograph of a lush green lawn. In the top left corner, a portion of a swimming pool with a light-colored tiled edge is visible. Along the top edge, there is a dense, dark green hedge. The bottom of the image shows a light-colored stone or concrete patio area. The word "CONTENT" is printed in large, white, sans-serif capital letters in the upper-middle section of the lawn.

CONTENT

| | | | |
|----|---------------------|----|-------------------------------|
| 6 | ABOUT US | 34 | RIO |
| 8 | TECHNOLOGY | 36 | RIO LITE / PRO |
| 11 | POOL LAYERS | 38 | ENZO |
| 12 | INSTALLATION | 40 | ENZO LITE / PRO |
| 14 | COLOR RANGE | 42 | FLASH |
| 16 | POOL RANGE | 44 | CORSICA COSTA RICA |
| 18 | SLATTED COVERS | 46 | MONACO 650 750 850 1000 |
| 24 | ABOVE GROUND COVERS | 48 | ANTIBES |
| 28 | POOL ENCLOSURE | 50 | DELIVERY |
| 30 | RHINO TUBS | 52 | B2B |
| | | 54 | CONTACTS |



ABOUT US

Rhino Pools is a subsidiary company and belongs to a group of companies that have been working with fiberglass since 1998.

SEPARATE PRODUCTION LINES WE ARE WORKING ON:

- Mold and model manufacturing for other fiberglass and plastic industry companies
- Fiberglass and plastic products in small and large quantities by using manual laminating and vacuum laminating with vacuum film or back-sided molds

Our pool factory produces over 700 pools per year, which are sold through the dealer network throughout Europe, as well as in the East and the Middle East. Today we can proudly say that we have more than 10,000 happy clients enjoying our pools.



TECHNOLOGY

Our pools are made to last.

Production begins with manual fiberglass forming using the highest quality materials.

10-layer wall structure, extra ceramic and fiberglass reinforcement layers, double bottom and sprayed-over foam insulation guarantee a long lasting product, which is leakproof forever!

The production of fiberglass products started back in 1998 and we have developed extensive experience over the last 20 years.


All pools pass strict quality control and we can proudly guarantee that Rhino pools are leakproof for life.







POOL LAYERS



- **GELCOAT LAYER 1** - first color tone with UV & osmose protection
- **GELCOAT LAYER 2** - second color tone with additional osmosis protection properties
- **INYLESTER GELCOAT LAYER** - provides maximum resistance to chemicals and solvents
- **VINYLESTER GELCOAT LAYER 2** - reinforced by fiberglass
- **RHINO CARBON SKIN** - extra reinforcement for pool rigidity
- **VINYLESTER GELCOAT LAYER 3** - has special ceramic reinforcement
- **LAMINATED STEEL BEAM** - for perimeter stability and rigidity
- **STRUCTURAL FIBERGLASS LAYER 1**
- **STRUCTURAL FIBERGLASS LAYER 2**
- **STRUCTURAL FIBERGLASS LAYER 3**
- **PU FOAM** - thermal insulation layer
- **STRUCTURAL HONEYCOMB LAYER** - extra protection for pool flooring

INSTALLATION

Rhino Pools is offering a plug and play solution to every customer.

Our special designed pool structure allows the pool to be installed with minimum intervention in the garden.


Fast and easy installation of the pool is possible only because of special designed pool structure of Rhino Pools Ceramic core, special Honeycomb bottom structure and new Rhino Carbon Skin, high density PU foam, special Mat-combined structure.

You only need gravel to backfill the pool.
Both in the bottom and sides!



**EVERY POOL HAS ITS OWN
HIDDEN FEATURES:**


- Easy installation
- Do it yourself option
- No concrete bed required
- Only gravel backfill



STANDARD COLOR RANGE



WHITE FROST



STEEL GRAY



AQUA BLUE



SHADOW GRAY


3D COLOR RANGE




NAVY PEARL



OCEAN PEARL




QUARTZ PEARL



BEACH PEARL


POOL RANGE

RIO




| | |
|----------------|---------------------------|
| OUTSIDE LENGTH | 4.74 m |
| OUTSIDE WIDTH | 2.43 m |
| INSIDE LENGTH | 4.52 m |
| INSIDE WIDTH | 2.20 m |
| DEPTH | 1.35 m |
| SURFACE AREA | 9.50 m² |
| VOLUME | 8.50 m³ |
| WEIGHT | 500 kg |

RIO LITE/PRO




| | |
|----------------|---------------------------|
| OUTSIDE LENGTH | 5.26 m |
| OUTSIDE WIDTH | 2.43 m |
| INSIDE LENGTH | 4.52 m |
| INSIDE WIDTH | 2.20 m |
| DEPTH | 1.35 m |
| SURFACE AREA | 9.50 m² |
| VOLUME | 8.50 m³ |
| WEIGHT | 600 kg |

ENZO




| | |
|----------------|---------------------------|
| OUTSIDE LENGTH | 4.76 m |
| OUTSIDE WIDTH | 2.44 m |
| INSIDE LENGTH | 4.54 m |
| INSIDE WIDTH | 2.22 m |
| DEPTH | 1.35 m |
| SURFACE AREA | 9.91 m² |
| VOLUME | 9.37 m³ |
| WEIGHT | 500 kg |

COSTA RICA




| | |
|----------------|----------------------------|
| OUTSIDE LENGTH | 8.00 m |
| OUTSIDE WIDTH | 3.70 m |
| INSIDE LENGTH | 7.67 m |
| INSIDE WIDTH | 3.37 m |
| DEPTH | 1.50 m |
| SURFACE AREA | 25.63 m² |
| VOLUME | 28.79 m³ |
| WEIGHT | 920 kg |

MONACO 650




| | |
|----------------|----------------------------|
| OUTSIDE LENGTH | 6.50 m |
| OUTSIDE WIDTH | 3.30 m |
| INSIDE LENGTH | 6.25 m |
| INSIDE WIDTH | 3.00 m |
| DEPTH | 1.50 m |
| SURFACE AREA | 18.50 m² |
| VOLUME | 18.60 m³ |
| WEIGHT | 630 kg |

MONACO 750




| | |
|----------------|----------------------------|
| OUTSIDE LENGTH | 7.50 m |
| OUTSIDE WIDTH | 3.70 m |
| INSIDE LENGTH | 7.18 m |
| INSIDE WIDTH | 3.38 m |
| DEPTH | 1.50 m |
| SURFACE AREA | 24.40 m² |
| VOLUME | 25.90 m³ |
| WEIGHT | 900 kg |

ENZO LITE/PRO




| | |
|----------------|---------------------------|
| OUTSIDE LENGTH | 5.27 m |
| OUTSIDE WIDTH | 2.44 m |
| INSIDE LENGTH | 4.54 m |
| INSIDE WIDTH | 2.22 m |
| DEPTH | 1.35 m |
| SURFACE AREA | 9.91 m² |
| VOLUME | 9.37 m³ |
| WEIGHT | |

FLASH




| | |
|----------------|----------------------------|
| OUTSIDE LENGTH | 6.00 m |
| OUTSIDE WIDTH | 3.00 m |
| INSIDE LENGTH | 5.63 m |
| INSIDE WIDTH | 2.65 m |
| DEPTH | 1.45 m |
| SURFACE AREA | 13.60 m² |
| VOLUME | 13.40 m³ |
| WEIGHT | 500 kg |

CORSICA




| | |
|----------------|----------------------------|
| OUTSIDE LENGTH | 7.40 m |
| OUTSIDE WIDTH | 3.70 m |
| INSIDE LENGTH | 7.00 m |
| INSIDE WIDTH | 3.31 m |
| DEPTH | 1.50 m |
| SURFACE AREA | 23.04 m² |
| VOLUME | 28.72 m³ |
| WEIGHT | 840 kg |

MONACO 850




| | |
|----------------|----------------------------|
| OUTSIDE LENGTH | 8.50 m |
| OUTSIDE WIDTH | 3.70 m |
| INSIDE LENGTH | 8.18 m |
| INSIDE WIDTH | 3.38 m |
| DEPTH | 1.50 m |
| SURFACE AREA | 27.70 m² |
| VOLUME | 30.10 m³ |
| WEIGHT | 1000 kg |

MONACO 1000




| | |
|----------------|----------------------------|
| OUTSIDE LENGTH | 10.00 m |
| OUTSIDE WIDTH | 3.70 m |
| INSIDE LENGTH | 9.68 m |
| INSIDE WIDTH | 3.38 m |
| DEPTH | 1.50 m |
| SURFACE AREA | 32.80 m² |
| VOLUME | 36.30 m³ |
| WEIGHT | 1250 kg |

ANTIBES




| | |
|----------------|----------------------------|
| OUTSIDE LENGTH | 8.32 m |
| OUTSIDE WIDTH | 3.70 m |
| INSIDE LENGTH | 8.00 m |
| INSIDE WIDTH | 3.37 m |
| DEPTH | 1.50 m |
| SURFACE AREA | 26.80 m² |
| VOLUME | 28.46 m³ |
| WEIGHT | 880 kg |

UNDERWATER STANDARD SYSTEM





The underwater standard slat system can be installed in pools from our Monaco and Antibes ranges. The standard set includes a 140 Nm-24-IP68 fiberglass roller with pool-wall fixings, a motor control key box, a fixing kit for roller tube straps, and a 110 x 65 mm aluminium beam for top-down wood support. This cover system works with standard, 10–12 cm water-level systems.



HIDDEN FEATURES:

- Easy to install
- Keeps water warm
- Decreases water evaporation
- Extends the bathing season significantly
- Protects against objects entering the pool
- Reduces chemical consumption
- Underwater system makes the cover invisible

UNDERWATER BENCH SYSTEM




The underwater bench slat system can be installed in pools from our Monaco and Antibes ranges. The standard set includes a 140 Nm-24-IP68 fiberglass roller with pool-wall fixings, a motor control key box, a fixing kit for roller tube straps, and a 110 x 65 mm aluminium beam for top-down wood support. This cover system works with both standard and high water-level systems. The submerged bench above the slat system works perfectly as a sun deck.

HIDDEN FEATURES:

- Underwater bench system provides a sun deck above the cover
- Easy to install
- Keeps water warm
- Decreases water evaporation
- Extends the bathing season significantly
- Protects against objects entering the pool
- Reduces chemical consumption
- Underwater bench system is applicable with high water level pool systems

MONACO PIT 650 | 750 | 850 | 1000 |



Modern and elegant best seller. Double sided stairs allow a wide variety of pool positioning possibilities. Comes with an integrated bench, 5-step entrance, slat cover guidelines and uninterrupted swimming channel. PIT version offers a preformed shell with special place to install underwater slat system. Standart and bench systems available.

HIDDEN FEATURES:

- Anti-slip steps
- 5-step entrance
- Slatted cover guidelines
- Uninterrupted swimming channel
- Slat system keeps water warm
- Slat system decreases water evaporation
- Slat system protects against objects entering the pool
- Slat system reduces chemical consumption




MONACO UNDERWATER STANDARD SYSTEM



ANTIBES UNDERWATER STANDARD SYSTEM

ANTIBES PIT




New model for those who love to spend time in the pool. Full width steps are designed for comfort and relaxation. Simplicity and elegance turn it to a dream pool.

PIT version offers a preformed shell with special place to install underwater slat system. Standart and bench systems available.

HIDDEN FEATURES:

- Anti-slip steps
- 5-step entrance
- Slatted cover guidelines
- Uninterrupted swimming channel
- Slat system keeps water warm
- Slat system decreases water evaporation
- Slat system protects against objects entering the pool
- Slat system Reduces chemical consumption

ECOTOP



The ECOTOP cover is the easiest and most budget-conscious version of the slatted cover, and can be installed on existing or newly-built pools. The ECOTOP cover includes aluminium support legs with a white powder coating. The anodised aluminium roller tube has an integrated roller motor, with automatic end switches. This cover comes with white slats – other types of slats require the cover system to be protected from direct sunlight and UV damage with a bench. The system is operated by the included key switch.

HIDDEN FEATURES:


- Easy to install
- Keeps water warm
- Decreases water evaporation
- Extends the bathing season significantly
- Protects against objects entering the pool
- Reduces chemical consumption





CORSICA AQUATOP ABOVE GROUND COVER

AQUATOP



The AQUATOP is an above-ground compactible cover that comes with white or sand-coloured slats when not using a bench. With a bench cover, any type of slats can be installed. The AQUATOP cover set includes stainless steel supports, a remote-control system, and an anodised aluminium roller tube with integrated roller motor.

The AQUATOP cover complies with NF P 90-308, meeting the legal requirements for swimming pool safety. In the closed position, it's important to secure the cover using the safety buckles on both sides (or only one side for installations with a bench). When used correctly, this system has a 100 kg weight resistance.

HIDDEN FEATURES:

- Easy to install
- Keeps water warm
- Decreases water evaporation
- Extends the bathing season significantly
- Protects against objects entering the pool
- Reduces chemical consumption
- Hidden roller system
- Remote control

POOL COVERS AUSTRIA




Pool Partner is a long-term partner of ours, with more than 20 years of experience in the pool industry. Who's better to implement your pool and cover solutions than a specialist who installs our pools every day? We offer a large variety of pool covers which are sure to satisfy even the most specific needs.

ULTRAFLAT



EVOLUTION



COLOURS:

RAL 7016

RAL 7004

RAL 9006

RAL 7047

RAL 6005

RAL 9010

RAL 1015

* All covers can be painted in any colour with a RAL code for an additional fee.

HIDDEN FEATURES:

- Made to order, for a perfect fit
- Electric cover motor with optional solar panel
- Solid aluminium profile
- Stainless steel or anodised aluminium parts
- 4-mm polycarbonate glass, with a 15-year manufacturer guarantee
- 50–200 kg/m² maximum snow load
- 100% made in Austria



MONACO


ULTRAFLAT



RHINO TUBS


WITH INTEGRATED HEATING SYSTEM

RHINO TUB 180



| | |
|--------------------|-----------------------|
| INTERNAL DIAMETER | 180 cm |
| EXTERNAL DIAMETER | 200 cm |
| HEIGHT | 105 cm |
| WATER CAPACITY | 1650 litres |
| HEATING | integrated wood stove |
| PEOPLE CAPACITY | 6 |
| AIR MASSAGE SYSTEM | 15 jets |

RHINO TUB 200



| | |
|--------------------|-----------------------|
| INTERNAL DIAMETER | 200 cm |
| EXTERNAL DIAMETER | 220 cm |
| HEIGHT | 100 cm |
| WATER CAPACITY | 2000 litres |
| HEATING | integrated wood stove |
| PEOPLE CAPACITY | 8 |
| AIR MASSAGE SYSTEM | 16 jets |



SHELL COLOR -
WHITE FROST



SHELL COLOR -
SHADOW GRAY

FIBERGLASS SHELL

Our 7 layer shell concept came from long-term experience working in swimming pool production. Its design is innovative, ergonomic and most importantly – comfortable. The shell is produced from hand laminated fiberglass, finished with gelcoat. Its size is optimal for 6-8 persons use and it comes in a choice of colour – grey or white.

HIDDEN FEATURE -

- Special generation 2 gelcoat is used for better durability and performance of the shell surface



WOOD BURNING HEATER



CHIMNEY WITH A PROTECTION

AISI 316 STEEL STOVE WITH
4 MM BURNING CHAMBER WALLS

INTEGRATED 30 KW HEATING SYSTEM

At Rhino Tubs we never compromise on quality, our 30 kW stainless steel stove made from AISI 316 steel. The burning chamber is produced from 4 mm steel to ensure the long life of the system, and comes complete with chimney protection and rain cap. The stove is equipped with an easy access valve for emptying the system.

HIDDEN FEATURE -

- AISI 316 grade steel supports the usage of pool chemicals and low levels of salt
- Chimney with a protection
- Integrated wood burning heater
- High flow drain tap

SOFT RHINO TUB COVER -
DARK GRAYSOFT RHINO TUB COVER -
BROWN

RHINO TUB COVER

This cover was built to perform. An integrated support frame, high density EPS for thermal insulation, anti-algae vacuum protection, an ergonomic design, and a top quality fabric finish, this cover will withstand any conditions.

HIDDEN FEATURE -

- anti-algae vacuum film protection comes as standard in all our covers




AISI 304 FRAME SYSTEM AS BASE

FRAME SYSTEM

The Rhino Tub is equipped with a structural AISI 304 stainless steel support cross underneath expanding the lifetime of the tub, wherever place it. This support also helps to level the tub during installation, maintaining an even footing throughout its life.

HIDDEN FEATURE -

- Special support pads are placed on the corners of the frame for easy levelling
- Stainless steel construction

THERMO WOOD COLOR -
NATURAL OIL


EXTERIOR WOOD FINISH

All our tubs are covered with thermo wood, making them dimensionally stable, but still giving you sensation and smell of a real wood. Extra protection is provided by the paint overcoat, with natural and black finishes available.

Wooden steps and side minibar included.

HIDDEN FEATURE -

- High endurance steel bands are applied to all our tubs for added durability
- Thermowood in Black finish
- Thermowood in Natural color finish
- Mini bar

THERMO WOOD COLOR -
BLACK FINISHSTEP ENTRANCE
FOR EASY ACCESS

MINIBAR

SYSTEMS

All our tubs are equipped with 6 massage jets powered by a 0,9 kW pump. These jets are ergonomically placed and their water supply system is optimized for best performance.

All systems are operated via easy access buttons on the side of the tub.

OPTIONAL - Our air massage system with 15 injection jets is powered by a 0,9 kW air blower.

OPTIONAL - A filtration system with glass media filter.
1 RGB LED light included.

HIDDEN FEATURE -

- Optimized custom built piping to maximize water and air systems



AIR MASSAGE SYSTEM

- Powered by 0,9 kW air blower, with 16 jets
- 180 cm Rhino Tub has 15 jets
- 200 cm Rhino Tub has 16 jets
- All systems operated with easy access buttons on the side of the tub


HIDDEN FEATURE - Optimized piping to maximize flow in water and air systems



FILTRATION KIT INCLUDES:

- Special inlet and outlet in the tub for connecting the system
- Wood cover (same color as the tub) to hide the equipment
- XPERT Top Filter system from ASTRAL with glass media filter, pump, multiport valve and electrical box with timer

HIDDEN FEATURE - Wood cover works perfect for snacks and drinks serving




RIO WHITE FROST

HIDDEN FEATURES:

- Anti-slip steps
- Integrated swim jet place
- Adjusted step height
- Special place for main drain

RIO



The smallest member in the Rhino Pools range with double sided steps will allow the pool to fit any garden. Cantered first step is designed to fit most of the swim jets.

| | |
|----------------|---------------------------|
| OUTSIDE LENGTH | 4.74 m |
| OUTSIDE WIDTH | 2.43 m |
| INSIDE LENGTH | 4.52 m |
| INSIDE WIDTH | 2.20 m |
| DEPTH | 1.35 m |
| SURFACE AREA | 9.50 m² |
| VOLUME | 8.50 m³ |
| WEIGHT | 500 kg |






RIO PRO STEEL GRAY

HIDDEN FEATURES:

- Anti-slip steps
- Adjusted step height
- Integrated swim jet place
- Special place for main drain
- Integrated massage and filtration systems

RIO LITE / PRO



The perfect pool for small and cozy gardens. Now comes in 2 variants as LITE or PRO.

Lite variant comes with cartridge filtration system, pump, LED light and bypass. All equipment is factory pre-installed and tested.

PRO - A plug and play solution that comes with a cartridge filter system, 4 rotating massage jets, swim jet, LED lightning, Balboa control system, 2 speed pump, 3.0 kW electrical heater and a possibility to connect water curtains.

| | |
|----------------|---------------------------|
| OUTSIDE LENGTH | 5.26 m |
| OUTSIDE WIDTH | 2.43 m |
| INSIDE LENGTH | 4.52 m |
| INSIDE WIDTH | 2.20 m |
| DEPTH | 1.35 m |
| SURFACE AREA | 9.50 m² |
| VOLUME | 8.50 m³ |
| WEIGHT | 600 kg |






HIDDEN FEATURES:

- Anti-slip steps
- 2 benches
- Adjusted step height

ENZO



Our second smallest member in the pool range with a corner step and 2 benches for You and Your kids to sit and climb.

| | |
|----------------|---------------------------|
| OUTSIDE LENGTH | 4.76 m |
| OUTSIDE WIDTH | 2.44 m |
| INSIDE LENGTH | 4.54 m |
| INSIDE WIDTH | 2.22 m |
| DEPTH | 1.35 m |
| SURFACE AREA | 9.91 m² |
| VOLUME | 9.37 m³ |
| WEIGHT | 500 kg |






HIDDEN FEATURES:

- Anti-slip steps
- Adjusted step height
- 2 benches
- Integrated massage and filtration systems

ENZO LITE / PRO



The second smallest pool of our range for Clients who live in cities with smaller gardens, or people who like a pack of features in a small package. These pools come in 2 variants as LITE or PRO.

Lite variant comes with cartridge filtration system, pump, LED light and bypass. All equipment is factory pre-installed and tested.

PRO version is assembled with cartridge filter system, 4 rotating massage jets, swim jet, LED lightning, Balboa control system, 2 speed pump and 3.0 kW electrical heater.

| | |
|----------------|---------------------------|
| OUTSIDE LENGTH | 5.27 m |
| OUTSIDE WIDTH | 2.44 m |
| INSIDE LENGTH | 4.54 m |
| INSIDE WIDTH | 2.22 m |
| DEPTH | 1.35 m |
| SURFACE AREA | 9.91 m² |
| VOLUME | 9.37 m³ |
| WEIGHT | |






FLASH AQUA BLUE

HIDDEN FEATURES:

- Anti-slip steps
- Integrated skimmer place
- Adjusted step height
- Special place for main drain

FLASH



Wide, spacious steps for convenient entrance to the pool and integrated place for skimmer installation makes this pool unique.

| | |
|----------------|----------------------------|
| OUTSIDE LENGTH | 6.00 m |
| OUTSIDE WIDTH | 3.00 m |
| INSIDE LENGTH | 5.63 m |
| INSIDE WIDTH | 2.65 m |
| DEPTH | 1.45 m |
| SURFACE AREA | 13.60 m² |
| VOLUME | 13.40 m³ |
| WEIGHT | 500 kg |






CORSICA OCEAN PEARL

HIDDEN FEATURES:

- Anti-slip steps
- 5-step entrance
- Adjusted step height
- Slatted cover guidelines
- Uninterrupted swimming channel
- Special place for main drain
- Possibility to order Slatted Cover version

CORSICA – COSTA RICA



Newly released pool models designed for comfort. Convenient pool stairs with integrated bench for relaxation and height-adjusted 5 steps for easy and safe entrance.

| | | |
|----------------|----------------------|----------------------|
| OUTSIDE LENGTH | 7.40 m | 8.00 m |
| OUTSIDE WIDTH | 3.70 m | 3.70 m |
| INSIDE LENGTH | 7.00 m | 7.67 m |
| INSIDE WIDTH | 3.31 m | 3.37 m |
| DEPTH | 1.50 m | 1.50 m |
| SURFACE AREA | 23.04 m ² | 25.63 m ² |
| VOLUME | 28.72 m ³ | 28.79 m ³ |
| WEIGHT | 840 kg | 920 kg |






HIDDEN FEATURES:

- Anti-slip steps
- 5-step entrance
- Adjusted step height
- Slatted cover guidelines
- Uninterrupted swimming channel
- Special place for main drain

MONACO 650 | 750 | 850 | 1000



Modern and elegant best seller. Double-sided stairs allow a wide variety of pool positioning possibilities. Comes with an integrated bench, 5-step entrance, slat cover guidelines and uninterrupted swimming channel.

| | | | | |
|----------------|----------------------|----------------------|----------------------|----------------------|
| OUTSIDE LENGTH | 6.50 m | 7.50 m | 8.50 m | 10.00 m |
| OUTSIDE WIDTH | 3.30 m | 3.70 m | 3.70 m | 3.70 m |
| INSIDE LENGTH | 6.25 m | 7.18 m | 8.18 m | 9.68 m |
| INSIDE WIDTH | 3.00 m | 3.38 m | 3.38 m | 3.38 m |
| DEPTH | 1.50 m | 1.50 m | 1.50 m | 1.50 m |
| SURFACE AREA | 18.50 m ² | 24.40 m ² | 27.70 m ² | 32.80 m ² |
| VOLUME | 18.60 m ³ | 25.90 m ³ | 30.10 m ³ | 36.30 m ³ |
| WEIGHT | 630 kg | 900 kg | 1000 kg | 1250 kg |






ANTIBES WHITE FROST

HIDDEN FEATURES:


- Anti-slip steps
- Adjusted step height
- Slatted cover guidelines
- Special place for main drain
- Lounge entrance

ANTIBES




Our newest model for those who love to spend time in the pool. Full width steps are designed for comfort and relaxation. Simplicity and elegance make this a dream pool.

| | |
|----------------|----------------------------|
| OUTSIDE LENGTH | 8.32 m |
| OUTSIDE WIDTH | 3.70 m |
| INSIDE LENGTH | 8.00 m |
| INSIDE WIDTH | 3.37 m |
| DEPTH | 1.50 m |
| SURFACE AREA | 26.80 m² |
| VOLUME | 28.46 m³ |
| WEIGHT | 880 kg |




DELIVERY


Pools can be delivered through road network using:



OUR COMPANY TRAILERS




REGULAR TRUCK TRAILERS
(WE CAN LOAD 1, 2, 4 OR EVEN 8 POOLS PER TRAILER)



OVERSIZED TRAILERS
(WE CAN LOAD UP TO 12 POOLS PER 1 DELIVERY)





B2B

AUSTRIA

Pool Partner

Viktor-Kaplan-Straße 4
A-8750 Judenburg
Austria
+43 (0)3572 42500
info@pool-partner.com
www.pool-partner.com



FRANCE, SPAIN & UNITED KINGDOM

Bain de Soleil Piscine et Spa

1667, route de Paris
01440 VIRIAT
Fouad MIRI
+33 06 86 63 10 76
contact@bds-piscine.com
www.bds-piscine.com



GERMANY

Poolomio

Industriestr. 7-9
66386 St. Ingbert-Rohrbach
Janis Hartz
+49 6894 388 40 45
poolbau@poolomio.de
www.poolomio.de



NORWAY

Enwa Pahlen Swimming Pool

Pahlén International AS
Leirvollen 27A
3736 SKIEN
+47 35505990
pahlen@enwa.com
www.enwapahlen.no



SWEDEN

Pool Sweden AB

Deltavägen 10
352 45 Växjö
Jens Hall
+46 0470 – 658 00
jens@poolsweden.se
www.poolsweden.se



UKRAINE

Water Planet

Украина г. Киев Глубочицкая 13
Kyiv, 04050
+38044 494 4067
+38098 494 4067
info@waterplanet.com.ua
www.waterplanet.com.ua





CONTACTS

Rhino Pools, Ltd

info@rhino-pools.com


www.rhino-pools.com

+370 618 33833

+370 626 33999



RHINO
POOLS



WWW.RHINO-POOLS.COM